


SG-FC SERIES CATALOGUE

Coiled Wire Fabric Series Catalogue

Coiled wire fabric for soft architectural
drapery.

PRODUCT FAMILY / SG-FC / 2026



SG-FC ROUTE

Understand the product before selecting the model.

SG-FC creates a drapery-like metal surface for partitions, ceilings, facades, sunshade layers and wall covering.

PRODUCT POSITIONING	01
KEY FEATURES	02
MODEL / GALLERY	03
APPLICATIONS	04
MATERIAL & INSTALLATION NOTES	05
PROJECT BRIEF	06

Coiled wire fabric for soft architectural drapery.

SG-FC creates a drapery-like metal surface for partitions, ceilings, facades, sunshade layers and wall covering.



PRODUCT PARAMETERS

- Materials: coiled stainless steel, aluminium or coated metal fabric
- Format: drapery, curtain, ceiling field, wall layer or sunshade screen
- Control items: fullness, drop height, colour route and track detail
- Surface: soft reflective texture with flexible movement

01

Selection logic

Start from application, visual target, openness, material and fixing condition.

02

Project tuning

Model, finish, scale and edge detail can be adjusted for the project route.

03

Sample approval

Use physical samples or mock-ups when light, texture or scale affects the result.

Compare visual, material and installation signals together.

A mature product choice is not only a pattern choice. It also needs application, material, finish and fastening logic.

DECISION SIGNALS

- Application and viewing distance
- Open area and visual density
- Material and finish route
- Edge, module and installation method



APPLICATION

Where it works


Match the product with facade, interior, ceiling, curtain, wall or screen conditions.



VISUAL

How it reads


Check transparency, density, reflection, movement and viewing distance before approval.



MATERIAL

How it performs

Confirm base material and finish route together with exposure and maintenance needs.



FIXING

How it installs

Frame, edge, track, tension or backing should be discussed before production.

Read the product through six practical signals.

Each detail image explains one selection point: texture, density, finish, movement, system route or project effect.

LOOK FOR


-  Texture scale
-  Light and reflection
-  Edge or track condition
-  Project atmosphere



DRAPE

Metal Drapery Feeling

Coiled wire fabric gives metal a soft textile-like movement.



LAYER

Soft Spatial Division


The surface can divide space without closing light or airflow.



FINE

Fine Coil Texture


Small coil scale creates a refined surface for interiors and wall details.



MEDIUM

Balanced Coverage


Medium coil density gives a stronger drape while preserving movement.



LARGE

Open Drapery Scale

Larger coils are useful when transparency and motion matter more than coverage.



FEATURE

Hospitality Surface

The reflective drape works well for hotels, restaurants and feature walls.

Match this product to the right architectural scene.

These scenes are selected from SGORIA metal systems applications and matched to the behavior of SG-FC.

APPLICATION CHECK

- ☐ Indoor or outdoor
- ☐ Close or distant viewing
- ☐ Rigid or flexible surface
- ☐ Maintenance and access



CURTAIN

Metal Curtain


Coiled wire fabric works as a transparent curtain for offices, hospitality and branded spatial layers.



INTERIOR

Interior Partition

Coiled wire fabric separates curved and open interiors with a soft translucent metal layer.



WALL

Wall Cladding

Metal fabric can wrap long wall surfaces with warm reflectivity and a softer architectural edge.



CEILING

Ceiling / Overhead


Suspended coiled fabric creates soft overhead movement, colour fields and lightweight spatial drama.

Confirm the product parameters before production.

Use the right-side image as a replaceable project placeholder, then lock the technical notes with samples and drawings.

BEFORE ORDERING

- Model or pattern reference
- Material and finish
- Panel size or drop height
- Edge, frame, track or backing



01

Fullness Ratio

Confirm flat width and installed width because fullness changes density and movement.

02

Track & Drop

Coordinate track type, bottom finish and access before production dimensions.

03

Finish Route

Select natural metal or colour finish with lighting and cleaning expectations.

Let the metal surface feel softer and more human.

Tell us the mood, privacy level and hanging condition.
SGORIA can recommend fabric density, fullness and track details that suit the space.

Start with a sample, drawing or project photo.

WEBSITE

www.sgoria.com

EMAIL

project@sgoria.com

WHAT TO SEND

Application / model / size / finish / fixing condition



You do not need to know every parameter before contacting us. Send the project intention first, and SGORIA will help turn it into a clearer product, sample and specification route.